

MULTIPACK - ECO 7 COMBINATION PACKAGING

ASSEMBLY DETAILS:
FIBREBOARD
BOX: 4GV
 OUTER PACKAGING

CODE:1015
GB/6575

FOR GROUPS: I II III
 X Y Z

 4GV/X7/S/**
 GB/6575

UP TO A GROSS PACKAGE WEIGHT OF: **7KG**

MAXIMUM PERMITTED WEIGHT OF CONTENTS: **5.6KG**
 (Product & Containers)

External Dimensions:
 285mm x 285mm x 305mm

Internal Dimensions:
 275mm x 275mm x 290mm

NOTES:
 See special packaging details and other information overleaf.

Biodegradable chips must be used as cushioning material for remaining available space.

Once the box is closed, seal in 'U' tape fashion with 75mm adhesive tape.

Biodegradable chips, absorbent sheets, hazard labels and sealing tape can be purchased separately from Air Sea Containers Ltd.

** Denotes year of manufacture



AIR SEA CONTAINERS LTD
 521 Cavendish Steet
 Birkenhead, CH41 8FZ
 United Kingdom

Tel: +44 (0)151 653 1500
 Fax: +44 (0)151 653 1515

Website: www.airseadg.com
 Email: uk@airseadg.com

EXAMPLE OF INNER PACKAGING
 SEALED INDIVIDUALLY IN A LEAKPROOF BAG

BIODEGRADABLE CHIPS
 COMPLETELY FILL POLYTHENE BAG, COVERING THE PRODUCT

CHEMICAL ABSORBENT PADS
 WRAPPED AROUND BOTTLE


POLYTHENE LINER BAG
 SEAL WITH 75MM ADHESIVE TAPE

FLAPS

HAZARD LABEL(S)

FIBREBOARD BOX

INDICATION OF PROPORTION



MULTIPACK - ECO 7 COMBINATION PACKAGING

ASSEMBLY DETAILS:

**FIBREBOARD
BOX: 4GV**

OUTER PACKAGING

**CODE:1015
GB/6575**

FOR GROUPS: I II III
X Y Z



4GV/X7/S/**
GB/6575

UP TO A
GROSS PACKAGE
WEIGHT OF:

7kg


MAXIMUM
PERMITTED
WEIGHT OF
CONTENTS:
(Product & Containers)

5.6kg


External Dimensions:
285mm x 285mm x 305mm

Internal Dimensions:
275mm x 275mm x 290mm


If shipping solids, there is no requirement to seal inner packaging/article(s) within individual leakproof bags.




Assemble box by folding in bottoms flaps first.
Seal flaps with 75mm adhesive tape in a 'U' shape



Place poly liner bag inside box and insert a minimum of 40mm biodegradable chips at the bottom. Place your inner packaging(s) - individually wrapped in absorbent sheets and sealed in a leakproof bag - inside, surrounded by a minimum of 25mm biodegradable chips in all directions.



Completely fill all remaining void space around your inner packaging(s) - including a minimum of 25mm above. Seal poly liner bag with 75mm adhesive tape.



Close top flaps of box and seal closed with 75mm adhesive tape in 'U' shape

IT IS THE SHIPPERS RESPONSIBILITY TO ENSURE THAT ALL APPROPRIATE REGULATIONS GOVERNING THE TRANSPORTATION OF DANGEROUS GOODS ARE STRICTLY FOLLOWED.

OUR MULTIPACK IS A SPECIAL 4GV OUTER PACKAGING, APPROVED UNDER U.N. TEST CRITERIA WHICH ALLOWS FOR TRANSPORT OF NON-SPECIFIED INNER CONTAINERS AND THEIR CONTENTS UPTO A STATED MAXIMUM WEIGHT.

IN MULTIPACK - ECO 7 THE MAXIMUM PERMITTED WEIGHT OF INNER CONTENTS AND THEIR PRODUCT CONTENTS MUST NOT EXCEED 5.6 KILOGRAMS, WHILST THE GROSS PACKAGE WEIGHT MUST NOT EXCEED 7 KILOGRAMS.

CLASS 1 EXPLOSIVES OR CLASS 7 RADIOACTIVES MUST NOT BE PACKED IN THIS BOX.



AIR SEA CONTAINERS LTD
521 Cavendish Steet
Birkenhead, CH41 8FZ
United Kingdom

Tel: +44 (0)151 653 1500
Fax: +44 (0)151 653 1515

Website: www.airseadg.com
Email: uk@airseadg.com